

according to EC directive 91/155/EEC

Trade name: **ZF-Lifeguardfluid 6+**

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Trade name : ZF-Lifeguardfluid 6+ Company : ZF Getriebe GmbH

Südring

66117 Saarbrücken Deutschland +49 681 920 2721 +49 681 920 131 2721

Contact person : Abteilung Technische Koordination MKTK

E-mail address : aftersales-sbr@zf.com

Emergency telephone number : +49 681 920-2222 (Plant medical service)

<u>Use</u>

Telephone Telefax

Specific use(s) : Polishing agent and lubricant

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Mineral oils, Additives

Hazardous components

No dangerous ingredients according to Directive 2001/58/EC



according to EC directive 91/155/EEC

Print Date: 12.09.2006 Revision Date: 12.09.2006 Version: 1.1

Trade name: ZF-Lifeguardfluid 6+

3. HAZARDS IDENTIFICATION

Risk advice to man and the environment

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC.

4. FIRST AID MEASURES

General advice If you feel unwell, seek medical advice (show the label where

possible).

Remove from exposure, lie down.

Never give anything by mouth to an unconscious person.

Take off all contaminated clothing immediately. Wash contaminated clothing before re-use.

Inhalation Remove to fresh air.

Keep patient warm and at rest.

In the case of inhalation of aerosol/mist consult a physician if

Skin contact Wash off immediately with soap and plenty of water.

Remove contact lenses. Eye contact

Immediately flush eye(s) with plenty of water.

Seek medical advice.

If swallowed, seek medical advice immediately and show this **Ingestion**

container or label.

Do NOT induce vomiting.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Foam

Dry powder

Extinguishing media which must not be used for safety

: High volume water jet

reasons



according to EC directive 91/155/EEC

Trade name: ZF-Lifeguardfluid 6+

Specific hazards during fire

fighting

Fire will produce dense black smoke containing hazardous

combustion products (see heading 10).

Exposure to decomposition products may be a hazard to health.

Special protective equipment

for fire-fighters

Complete suit protecting against chemicals

<u>Further information</u>: Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes. Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Ensure adequate ventilation, especially in confined areas.

Environmental precautions : Try to prevent the material from entering drains or water courses.

Avoid subsoil penetration.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods for cleaning up : Contain and collect spillage with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

<u>Additional advice</u> : Contaminated surfaces will be extremely slippery.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Avoid contact with skin and eyes.

Avoid formation of aerosol.

For personal protection see section 8.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.



according to EC directive 91/155/EEC

Trade name: ZF-Lifeguardfluid 6+

<u>Dust explosion class</u> : not applicable

Storage

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage : Keep away from food, drink and animal feeding stuffs.

Storage temperature : 0 - 50 °C

<u>Remarks</u>: No decomposition if stored and applied as directed.

Other information

Water contaminating class

(Germany)

: WGK 2, water endangering

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

<u>General advice</u>: Provide adequate ventilation.

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Hand protection

Material : Nitrile rubber

Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to

place of work.

For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove

manufacturer.

Eye protection : Safety glasses



according to EC directive 91/155/EEC

Trade name: ZF-Lifeguardfluid 6+

Skin and body protection : Long sleeved clothing

<u>Hygiene measures</u> : Handle in accordance with good industrial hygiene and safety

practice.

General industrial hygiene practice. Avoid contact with the skin and the eyes. When using, do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : liquid

<u>Colour</u> : brown

Odour : characteristic

Safety data

pH : no data available

Pour point : ca.-48 °C

Boiling point/range : > 280 °C

Flash point : > 185 °C

<u>Ignition temperature</u> : > 320 °C

<u>Lower explosion limit</u> : 1 %(V)

<u>Upper explosion limit</u> : 10 %(V)

Vapour pressure : < 0,5 hPa

at 20 °C

Density : 0,841 g/cm3

at 15 °C

Water solubility : practically insoluble

Viscosity, kinematic : 29 mm2/s

at 40 °C



according to EC directive 91/155/EEC

Trade name: ZF-Lifeguardfluid 6+

10. STABILITY AND REACTIVITY

Materials to avoid : Strong oxidizing agents

<u>Hazardous decomposition</u> : Carbon dioxide (CO2),

<u>products</u>

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

(110x), donot black cirioke.

<u>Thermal decomposition</u>: No decomposition if stored and applied as directed.

<u>Hazardous reactions</u> :

Stability:

Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 rat

Dose: > 2.000 mg/kg

Acute dermal toxicity : LD50 rabbit

Dose: > 2.000 mg/kg

<u>Skin irritation</u>: Prolonged skin contact may defat the skin and produce dermatitis.

Eye irritation : No eye irritation

<u>Sensitization</u>: No known sensitising effect.

<u>Further information</u>: Inhalation of mist causes irritation of respiratory system.

12. ECOLOGICAL INFORMATION

Further information on ecology

Adsorbed organic bound

not included

halogens (AOX)

Other ecotoxicological advice : The product should not be allowed to enter drains, water courses or

the soil.



according to EC directive 91/155/EEC

Trade name: ZF-Lifeguardfluid 6+

13. DISPOSAL CONSIDERATIONS

Advice on disposal and

packaging

Disposal:

In accordance with local and national regulations.

EU Waste code: EWC : Waste Key (unused product) :

130206, synthetic engine, gear and lubricating oils

Waste key (used product):

130206, synthetic engine, gear and lubricating oils

Disposal of uncleaned

packaging

: Waste key (uncleaned packaging) :

150110, packaging containing residues of or contaminated by

dangerous substances

14. TRANSPORT INFORMATION

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

15. REGULATORY INFORMATION

Labelling according to EC Directives

Additional advice : Not a hazardous substance or preparation according to EC-directives

67/548/EEC or 1999/45/EC.

Sensitization : Contains: calcium-sulphonate, 2,2'-(Octadec-9-enylimino)bisethanol,

1,3,4-Thiadiazolidine-2,5-dithione, May produce an allergic reaction.

<u>VOC:</u> : no VOC duties



according to EC directive 91/155/EEC

Trade name: ZF-Lifeguardfluid 6+

National legislation

Water contaminating class

: WGK 2 water endangering

(Germany)

TA Luft : no data available

16. OTHER INFORMATION

R-phrases corresponding to the number shown in section 2:

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.